

25

 212
 7398
 F 29

on the eruptive states of
Fever

Nat. Small pox 1
 Vaccination second 1
 Measles. 14
 Erysipelas 19.
 Miliary fever 20
 Unthan pox 20
 Pemphigus. 21.
 Eczema 21.

As the small pox in the natural way has
revived in our Country owing to the unfortunate
prejudices against Vaccination in the people, and
the unwillingness or refusal of physicians to in-
-oculate, I shall deliver a few remarks upon its
treatment derived from my own Observations.

- 1 It is most commonly a malignant, or ^a synocha
fever.
- 2 During the eruptive fever, copious &c. but ~~when~~
this is forbidden strong venients & purges by ~~before~~
reducing the fever before the eruption, & the danger
of the disease. In this way I think I formerly
saved many ~~of~~ lives. —
- 3 Cool or Cold air should be used according to the
form of the fever & state of the skin.
- 4 Great advantages arise in malignant cases
from the exhibition of \mathcal{Q} so as to salivate at the
turn of the pox. of the disease
- 5 \mathcal{Q} should be used in the height or turn of the
pox. Angina & pneumonia often take
place at that time. The blood is tinged.
I lately used it to miss withell 1805.

There was a time once when the name
of the small pox inspired as much terror
than pestilence - famine and
~~as the~~ war, fire, ~~or an~~ earthquake, ~~you~~
and with reason, for more of the human
race have been destroyed by it by any one
of them, or perhaps by all of them put
together. War has its intervals of peace,
famine is often preceded & followed by years
of plenty & fire, ^{earthquakes are} ~~is equally~~ destructive to
human life, and ~~earthquakes~~ ~~are~~ ~~so~~
~~ordinarily~~ extremely limited in their
destructive effects upon human life.
Even pestilence itself is a less evil
than the small pox. It is confined only

The bowels should be kept gently open at this time, and swellings should be invited to the hands & feet when it falls in the face by warm water, poultices, and Blisters.

warm water, poultices, and
 The matter should be discharged from the pock
 by opening them th with a Needle, when danger is
 apprehended from this number. —
 Warm Bath

8 Linen sh^d be often changed. Warm Bath
useful when psch does not fall off readily.

For many facts see on this disease see Vaughan,
Hildner & Mead, & above both Thillay.

2 History of Measles, & smallpox.
Vaccination is to be preferred to
Inoculation. 1 Because it communicates
a less violent disease, ^{ch} ~~it is never mortal.~~
2 — it is not contagious ^{after}. 3 It does not
prevent work. 4 ~~It~~ may be communicated
at all seasons, and ages, & to persons indisposed with
other diseases. 5 It is never mortal.

In course: attend to things I never to
take matter after 4th day. Dr Jenner calls this
a raised boundary. 2 to vaccinate with a

I cannot dismiss this disease without
taking notice that two errors have entan-
-ched themselves ^{in it.} 1st that it was a
specific disease and that its remote &
proximate causes were exceptions to
the Unity of Principles, and the Unity
of disease. This error I hope you have
~~has no existence in this University. The~~
^{is the offspring of the first & that is}
2nd error is that the for all prox form
the specific nature of its remote cause &
and proximate causes required unlike
the Gout and Hydrophobia, certain
specific remedies to cure it. The
Remedies for this purpose have been
Bead mineral, Saffron, Shapdun,
with many others and finally mercury.
But they have ~~all~~ all failed,

first

the thirty

the thirty of

1

of annihilating or subduing the disease, ~~like~~
~~add~~ And after the ~~exp~~ researches & experience of
Ages, the illustrious Dr Sydenham ^{first} discovered that
it was not to be cured, but that its mortality
~~like the~~ ~~even~~ was to be prevented by exactly
the same remedies that mitigated ^{its} ~~its~~ ^{upward}
the mortality of other fevers. ^{in going so far} ~~these~~ fully
established the Unity of its ^{stimulus} ~~causes~~ ~~remote~~
and ^{the Unity} ~~proximate~~ of the deranged actions it
produced in the blood vessels with the Unity
of the stimulus and ^{the Unity of} the deranged actions
which take place in all other fevers. ~~The~~
It will be only by
~~in this way~~ ^{By} ~~reversing~~ specific remote
~~causes and~~ ^{causes and} actions in the Gout &
~~and proximate~~ ^{that} we shall, in like manner,
Olydophobia, ^{that} we shall, in like manner,
ever bring them under the Dominion of
medicine. ^{that} they never ~~never~~ ^{never}
can be used ^{you} by any other ~~thing~~ ^{way}, not even
by a ^{corrected} ~~large~~ of Gout warts or Olydophobia warts.

2
at?
of the

ing
hysi:

2
kat

1

every
in?

ing
boup

loes
is

on Vaccination

2
t?
of the
ing
ysi:
t
= Duet
210.
Em
= late
died
conu
480
fiss
In
of or
the
inpro
the

is lessened, but not wholly prevented
by inoculation. A new mode of
preventing it with more certainty has
been discovered by means of what is
called Vaccination from the matter w:
effects this resistance to the small pox
being obtained from the bladder of the
cow.

as ~~the~~ ² The malignant and fatal tendency of
the small pox has for many years been

I shall ~~now~~ deliver to you an epitome of
all I have read, observed, and heard upon this
subject. ~~Vaccination - the remedy which~~
~~has lately been introduced for the purpose of~~
~~eradicating the small pox from the world.~~
Vaccination - the remedy which
has lately been introduced for the purpose of
eradicating the small pox from the world.

1 That matter should be performed. It may
be performed upon all ages - and at all seasons.
During the period of the first month & during den-
-tion, children are subject to other diseases for
which reason even physicians decline perform-
-ing it at those times. ^{It} It runs its course
most rapidly in summer. It cannot be
communicated when the φ is at 90°. Dr
Adams says it could not be communicated
during the blowing of a wind in Madras
known by the name of the Least Wind.
There ^{is} is a parallel fact in the small pox.
It cannot be communicated during the

V Heat and the Winds in these cases create
a preponderating counter impression
upon the skin.

V Cough in its declining state. I can
subscribe in our instances to the truth
of this remark. *W. J. W. W. W.* (h?)

3

blowing of the Hamattan Winds. — & The

2 ~~Other diseases existing~~ It may be common?
to persons labouring under various Diseases
of all kinds, ~~the it is caught~~ ^{some} These eruptions
particularly the itch resist it - but where
the vaccination
it succeeds, it sometimes removes those
eruptions. It ~~has~~ ^{succeeds} ~~to~~ ^{place} in Scrophula,
Cough and deafness, and has sometimes
removed them. It ~~has been~~ the Vaccine
matter applied to ^{an old} sore in the nose soon
healed it. A Physician in Calcutta has
proposed to apply this matter to Cancerous
Sores in hopes of obtaining from it a similar
good effect. It is said to arrest the progress of certain
Diseases. Dr. Archer says it destroys the hooping

3 The matter may be taken from a pustule
or a Scab. ~~The matter~~ ^{It} ~~should be taken~~ ^{in the}
former case only in its watery state which
is generally the case on the 3^d & 4th days, but



4
now & then so late as on the 20th. The matter
is contained in cells so that several punctures
with a lancet will be necessary to obtain the
contents of a pustule. ~~It~~ For this it differs
from a pustule from the small pox. The
matter may be taken on thread, or ~~between~~ ^{on}
a piece of glass rubbed over the pustule when
opened, and then covered with glass of the
same size. The glass should not be placed
over it till its watery parts are evaporated.
In this ^{way} a fermentation is prevented in it, which
destroys its infecting quality. It may be
taken on the point of a lancet. I know this
mode of taking it is objected to from the
matter oxidizing the lancet, but it has never
but once failed with me ~~when taken in~~
this way. The matter should be moistened
with cold water only when applied to the
arm. The best matter that is used, & the

to communicate the disease, it sh^d
be first scraped a little, & then broken
into pieces & preserved between two
pieces of glass. When used a portion of
it should be taken from the glass and
manipulated by itself. If we insist ^{it} upon
the glass and then cover it, it undergoes
a change which destroys its infecting
quality.

The lancet sh^d be held a few fowls under
the article. ^{In some experiments on the} ~~Recall the fact of the~~ ^{the} ~~the~~
horse was killed in ~~one case & only~~ by holding it
for some time - Another recovered in whom
the lancet was barely thrust in & taken
out.

that is
lip blood, is drawn the 5
more certainly the operation succeeds. I
have said limpid matter th? be used only.
When purulent, it induces a Puerperal disease.
The same thing occurs with the small pox,
in which the inflamed sore are greater than
from fresh matter. Those of 5 persons in-
cubated ^{by Mrs Earle} with old variolous matter who all
took the small pox & took it afterwards,
one of whom died. — The matter for
vaccination should be taken only from
the pustule on the arm, & never from
the best looking pustules in any other
part of the body. When a scab is employed

If the pustule generally appears filled with
matter ~~with a hollow in its middle~~ on the
8th day, but there are cases in which it has
not appeared till the 12. 14. 18. 46 according to
Mrs Ring, 5 and 6 weeks according to others.

✓ The activity of the vaccine matter is some-
times promoted by rubbing the arm before,
or after the matter is introduced in it, also
by a generous diet. The latter often gives
activity to a feeble infection from the small
pox.

+ The same thing is true in the smallpox.

~~Dr. D. Valentine~~ of Massells ~~applies~~ me
in a letter I received from him ~~a few days~~
on Jan^y 27. 1808 that in a Child ^{of 4 years old} vaccinated by

Mr. Chevrenne an Apoth^y & Botanist attends
the pustule did not appear till one year
afterwards when it ran ^{the} usual course of
the disease. I believe ~~this~~ ^{to} have known
an instance in ^{the} pustule from variolous
matter ~~did not appear till 3 months after it was~~
~~put into the arm.~~ These facts ~~do~~ support
the opinion I formerly taught of Hoins =
= minors lying weeks, months & even a
year in the body before they produced a fever.

Can Early Eruption and Scab, a small Area
a small pustule - ~~great itching of the pustule~~
indicate a local, ~~or a~~ disease. From this
local Disease, a true disease may be produced.
- much itching, and the absence of, or a
Scab - ~~and great~~ ^{over} the body,
very small Cicatrix indicate a perious
Disease.

§. V The Vaccine pustule is distinguished
 from the Variolous pustule by the following
 marks. 1 It is divided into cells in which
 the matter is contained. 2 It is depressed in its
 center. ~~the scab~~ 3 ^{It} crust appears upon
 it earlier than in the small pox. 4 There
 is no inflammⁿ around the pustule on the
 5th Day as there is in the small pox. 5. The
 Vaccine pustule is single & independant, the
 Variolous pustule is often surrounded with
 pustules that run into it. 6. ^{Vaccine} ~~the Variolous~~
 pustule leaves a small circumscribed ^{little}
~~trif~~ - the Variolous pustule leaves a more
 extensive - irregular cicatrix. 7 Vaccine
 matter ^{generally} passes into a scab, ^{without much} ~~scarcely into pres~~
 the ^{Variolous pustule} ~~Vaccine matter~~ ^{altogether} passes constantly into
 pus. 8 The Vaccine scab is smooth, hard,
 semitransparent, of a dark brown color,
 with its margin elevated, and in shape

T.

There is more indisposition when the pustule
appears on a late day than on the 8th or
9th V.

The disease after ~~being~~ discovering its lympho-
-tous is sometimes suspended for several
days, and then resumes its course. It has
been suspended by the scarlet fever in one in-
-stance, & it prevailed over it in another
related by De Jenner. You will understand
the reason of this by reflecting on one of the
laws of Epidemics.

The lymph is ~~is~~ not protected from the
small pox, nor from any other disease
before the appearance & inflameⁿ of the
pustule. They protect the lymph from
other diseases, more especially if they are
accompanied with a swelling in the
area - & some pain & fever. In
these lymph-tous - ~~inflammation~~ ^{inflammation} - are sometimes

resembling the vesicle itself. The Variolous
Seat is rough, scaly, friable, & quite
opaque - of a light brown color, and
with its center somewhat elevated. The
effluescence round the vaccine pustle is large
and regular, and the skin hard under it. The
inflamⁿ round the Variolous pustle is in-
small - irregular, and often covered with
minute confluent pustules.

8
and of nausea - vomiting & even convulsions.
They are I believe generally from taking
or some more powerful disease than the
vaccine.

10 It has been said that impregnating the
system with helphus prevents the activity
of the vaccine matter. ^{It is a fact that} of 88 persons who
had been taking helphus for the Pleth, but
did not take the disease.

~~These~~ Eruptions ^{sometimes} follow the vaccine
disease ~~than the variolous~~. I believe ~~but~~
by no means so often as the small pox
by ~~the~~ inoculation. Where these eruptions
are more copious than usual,
Dr Patterson has ascribed them to a cutaneous
constitution of the atmosphere disposing
disease either to affect or pass out of the
skin.

12 It has been said, that Vaccination

18

no interruption in business, or labor.

The Clamors against it have been excited chiefly by ignorance and envy.

I know of no objection to it, but the difficulty of procuring & preserving matter, but these be obviated by ^{the} means that ~~are~~ have been mentioned. Permit me to recommend ^{it to your} ~~the~~ practice, ~~if it~~ in preference to various Inoculations. Where it fails, suspect some latent disease, if the matter be good. -

of 20,325 who were vaccinated between Jan^y 21. 1799 & Jan^y 1. 1807 by Dr Adams 21 only took the natural small pox afterwards, two of whom only died. a greater number I believe take it after Variolation. It is remarkable the small pox is generally favourable when taken after Vaccination, & that the pox turn on the 6th day. It ~~was~~ did the same thing after variolation in Capt: Capen whose case you will see recorded in Dr Coles medical museum. Two cases more & then

does not always defend the system from
 the small pox. I admit it. ~~But I~~ ^{the same} ~~was~~
 sure it is ~~the~~ thing is true of Variolous
 inoculation, and that much oftener than
 of Vaccination. Of this I could produce
 many proofs in this city. It approaches
 nearer to certainty in its effects than
 any other remedy ^{for} ~~for any~~ disease in
 the whole materia medica. ~~It~~ ^{It} has the
 following advantages to recommend it
 in preference to variolous inoculation.

- 1 It communicates a less violent disease.
- 2 It is never mortal. 3 It has never
 been followed by lameness ^{or running sore of} of the arm,
 blindness, or consumption which has
 been the case with variolous inoculation.
- 4 It is not contagious. 5 It produces

produce ~~a series of~~ attacks of small pox after both
 Vaccination & Variolation 1. a strong epidemic
^{variolarious} constitution of the atmosphere. Common fevers
 are often tinged according to Sydenham by
 some of the symptoms of the small pox in
 such a state of the air. and 2^d strong exciting
 causes acting upon the system while it is im-
 pregnated with the ^{matter of the} variolarious ~~disease~~ ^{disease}.
 This was the case in Capt. Capon. —
~~as to 10. 12.~~ that

That the Vaccine disease affects the whole inte-
 =rous system in common with the small
 pox is evident from ^{the following fact} ~~the following facts~~ & of a scratch
 or wound be made upon the skin during the
 progress of the Vaccine pustule. The scratch or
 wound will ~~per~~ keep pace with & partake of the
 nature of the inflameⁿ of the Vaccine pustule.
 This fact was communicated to my friend Dr. Hensh
 by Dr. Jenner. 2^d ~~If a vaccine pustule~~ It ~~shows~~
 illustrates in the what I have called ectaneous
 sympathy in a striking manner. ^{of 15. 13.}
 the same thing occurs if the Vaccine & variolous

Walter are inserted on susceptible days.

3. ~~Both diseases~~ The pustule in both diseases
ripens on the same day generally & deviates
from their common order in the same loose
manner as to the time of their ripening or
producing their eruptive disease.

4. The old matter is ~~an apt~~ to produce a
spurious disease in both cases.

5. A single ^{pustule} ~~pox~~ ^{small pox} is as little
disposed to spread the disease by contagion
tho' the atmosphere is a pustule of the vac-
cine disease.

~~Then they protect from the small pox.~~

[Disparities from original diseases are
not uncommon. The ^{Varioloid} ~~Leprosy~~ ^{is} mild dis-
ease compared with what it was 200 yrs
ago and yet they are they are less infectious
than formerly, & yet they are the same
diseases.

Vaccination has return to +

moderately ~~small~~ attacks of small pox after both
 Vaccination & Variolation 1. a strong epidemic
^{variolar} constitution of the atmosphere. Common causes
 are often tinged according to Dr Sydenham by
 some of the symptoms of the small pox in
 such a state of the air. and 2^d strong exciting
 causes acting upon the system while it is im-
 pregnated with the ^{matter of the} variolous ~~matter~~ ^{No case is}.
 This was the case in Capt. Capen. —

on ~~the~~ ^{the} ~~subject~~ ^{of} ~~consumption~~ ^{consumption}.

Gentlemen,

In entering upon the ~~subject~~ ^{subject} of this disease, I feel as if I had
 been called upon to ~~split~~ ^{split} divide a ~~known~~ ^{known} fresh puncture be made three days afterwards,
 of ~~that~~ ^{that} ~~lignum vite~~ ^{lignum vite} in your presence both sides on the same day. The same
 - In viewing it in all its parts, and the vaccine & variolous matter be inserted
 the same day in different parts of the body,
 direction, I can see both even their courses, exactly together.
 the same thing seems if the vaccine & variolous

Dr Adams has taken pains to prove that
 vaccine disease is a kind of Dwarf vari-
 olous disease. [The facts he adduces in support
 of his opinion are as follow.

Matter are inserted on successive days.

3. ~~Both diseases~~ The pustule in both diseases
arises on the same day generally & deviates
from their common order in the same loose
manner as to the time of their ripening or
producing their eruptive disease.

4. The old matter is ~~a~~ apt to produce a
spurious disease in both cases.

5. A single ^{pustule} ~~pox~~ if small pox is as little
disposed to spread the disease by contagion
tho' the atmosphere is a pustule of the ~~Vac-~~
-ine disease.

~~6. There they protect from the small pox.~~

7. Departures from original diseases are
not uncommon. The ^{Vent disease} ~~Leprosy~~ ^{is now} ~~is~~ mild dis-
eases compared with what it was 200 yrs
ago, and yet they are they are less infectious
than formerly, & yet they are the same
diseases.

Vaccination has return to +

= From the history I have given of
Vaccination, you will perceive that it
requires more knowledge - judgment and
prudence to communicate the genuine
Disease, ~~than by so~~ as to protect the
System from the small pox, than it
does to do the same thing, by Variolation.

I ascribe most of the failures in com-
municating ^{it} to ignorance or inattention
to the various circumstances ^{we} should
govern our practice in it. I have the
most unshaken confidence in its ^{general}
certainty, ~~and thus~~ I consider it as
one of the greatest blessings Heaven has
conferred upon the health & life of man.

no vaccinated medical student who
had been vaccinated, took small pox in 1809

- 4/8/11.

so to master p. 11.

have lately obtained over ^{the most} a ~~once more~~
~~of all~~ fatal diseases, we are led to ~~know~~
~~the probabilities~~ anticipate the time
when, ^{they shall both} Reason and ~~necessity shall~~
enjoy an equal triumph in the
annihilation of pestilence from
our globe. It belongs almost ex-
clusively to the physicians of the U.
States to have pointed out the means
for this purpose. How long the time
may be before the time will come
when the names of barstow, mitchell
& colden are known. How long the time may be
before this event will take place I know
not, but I believe it is ^{as} much out of
the power of prejudice, error, interest

~~Dr Watson has taught us how much~~
~~it is varied by the state of the atmosphere~~
~~- He describes to be calls "epitrid~~
~~measles" in London. They were nothing~~
~~but the ~~is~~ produced by an ~~exanth~~ in the~~
✓ Stimulus of the contagion & from w:
you heard of the ¹² primary states of
fever, you can never be at a loss how
to treat them. For the most part the
pulse is Sympcha. Sympchula ^{now then} or Sympch
& typ^d & typhus. In reading ^{the} histories
had been vaccinated, 1000 ~~per~~ ~~per~~ ~~per~~
- 1844. 50 to measles 1/11.

to make to prevent it as it is to
 prevent the change of the seasons, or
 the ^{annual} revolutions of our globe around
 the Sun
of the uncles

I refer you to books for a history of
 this disease. — the best acc^t of it is to
 be had in the history of Epidemics. I shall
 give you a short acc^t of them as they
 have lately appeared in this city viz in
 1801. & 1802
 They made their first appearance in
 the south end of the city in the month of July.
 and were stationary there until Decem^r when
 they gradually spread thro^o the whole city.
 observe here 1. this gradual progress. & 2^{ly}
 this increase with cold weather. How
 different from the manner in which

I have given
of it as it has appeared in Phlegm²
in different years, I beg you would take
notice of the account I have given of a
spurious kind of measles - or a morbillous
fever which does not protect from a
2nd attack of the disease. It is a superficial
affection, analogous to the cuticular
smallpox which I have described in the
1st vol. of my inquiries. I shall dismiss
this disease with a few general remarks.
go to p. 18. =

had been vaccinated, 1000 in 1800.

1800.

go to measles p. 11.

15

Those Diseases spread which are derived from
an impure Atmosphere. They spread in
a few weeks thro' whole Cities & Countries,
and are always checked by Cold. — Then

The following circumstances occurred
in the symptoms of this Epidemic in my
practice.

1 The disease wore the livery of the
Anthraxial fever in the following symptoms

1 It was strongly marked by Remissions
& Intermittions. The exacerbations occurred
chiefly in the night.

2 There was in many cases a ^{constant} great
~~act~~ of nausea & discharge of Bile by
vomiting. —

3 I saw one case of in which they app?
with a violent Cholera morbus.

4 Several cases of Diarrhea & of Dysentery
occurred in my practice. —

~ Eruption after same day.
a salivation.

Two more patients

1844.

Go to Mucosa 1844.

II many severe cases of pleurisy & two of
 dyspnoea trachealis appeared with the
 measles. ~~as~~ ^{as} ~~London~~ -

III a discharging sore mouth followed the
 measles in one of my patients, a child
 under 2 years old.

IV a fatal hydro: inter: followed the
 disease in a child of 8 years old that
 had been treated for worms.

V ~~that~~ I saw one case in which the
 eruption did not take place till 10, or
 another 14 days after the fever came
 on. —

VI Two children had eruptions like
 small pox before the eruption of the
 measles.

VII many children had coughs & ^{watery} ~~discharge~~
 eyes for several days, but without the
 measles. The same children had them

~~To this history of the Epidemic I shall now~~
~~add a few general remarks.~~

1 D^r Willan says he had seen a case in ^{wh} the measles were taken twice. In this case he probably mistook the spurious measles or the morbillous fever for the genuine measles. See my Acc^t of them in the 2^d vol of my inquiries. They are now admitted by several writers, viz
 Dr Willan

2 The D^r says he has seen two eruptive eruptions, in the small pox.

3 He describes two cases which ran their course without any Catarrh. You see here gent. the Unrest? of relying upon pathog. Signs of diseases. Here is scarcely any disease ~~to~~ to which this affords signs that deserve that name.

4 It is said the small pox & measles occur at the same time in the same person. They do so, but the actions & eruptions excited by them I believe are always in succession to each other.

5 It is often ^{accompanied or} followed by a distressing Diarrhea, or


17
Thee afterwards! see my list of opinions
Measles in med. Inq: dts.
will many people ~~had~~ who had had
the measles had Coughs resembling the
morbillous cough.

IX The Remedies
1 were us: from 3rd to 1360.

2 Laxant purges - 3 Demulcent drinks.

4 Opriates at night and astringents
where a Diarrhea took place. 5 Phistors.

I saw evident advantages from order-
ing a vegetable diet after it appeared
in several families.

I lost but 1 patient in this disease,
viz a child in fits. — much more
successful than in former years only be-
cause I did more freely. — 

Erisepelas Plate of fever called
also St Anthony's fire.

- 1 It belongs alike to Adults & Children.
- 2 It is very apt to recur where it ^{has} ~~been~~ ^{previously} been affected. It is induced by many
poisonous substances - as Cashew Nut - Vine &c.
- 3 It affects the face, breasts in females,
and limbs. I have twice seen it in the
^{upper} lower limbs after tapping for ascites.
- 4 It is the precursor of pso-bilential
disease. It was, Dr. Whistler says of
the yellow fever at St. Croix. It appeared
only among the natives of the Island, from
which it is probably it was a mild
form of the Epidemic ^{which} succeeded it.
Death by
- 5 It now & then ends in mortification of
the part affected, or by translocation to
the brain. Dr. Bayard's case.

Dr. Hirsch has taught us
✓ These more effectually prevent gan-
-grene than any other remedy. But
if Gangrene has begun, to which it is
disposed, Bark - wine should be given
in liberal quantities.

Dr. Willan tells us it may be commu-
-nicated by inoculating with the water
contained in the vesicle of the disease.

Remedies

1. ~~Copious~~ vs. copious when indicated by the pulse, or state of the skin.
 2. pruritus. 3 Blisters ^{to the inflamed parts.} 4 Cool Air.
- ^{oily & Saturnine} All Repellents to be avoided. flower the best remedy. —

milinary fever

Generally
An Artificial disease from the hot
Regimen. Now scarcely known. It
appeared in a milary fever at Mantua. Russia.

Chicken pox

^{little or} known, by no previous fever &
by few eruptions seldom more than
200, appearing more on the back
than upon any other part of the body.
Cur. a puff.

new one

1811.

So to the end of the 11th.

Purpura

is called ^{& willan.} a rash form of eruption.
 Is symptomatic in yellow fever -

The Erose - or nettle rash - is

a troublesome - but never a danger -

The eruptions are large - elevated
 - now disease. The itching is the
 above the skin - & sometimes resembles strokes of
 a whip. Most disappearing lymphoma that

attends ^{this disease.} the ~~the~~ Low diet, & opium relieve

it, ~~lasted~~ and cooling applications

to the skin relieve it, but I am sorry

to say they do not cure it. But it

seldom lasts more than a day, or

two, but it is apt to recur from


slight causes. Time ~~or~~ wears it

away from the system.

new one

184.

so to master 184.



184.

to the master 184.